

Journal of  
**Plant  
Research**  
FORMERLY  
**THE BOTANICAL  
MAGAZINE  
TOKYO**

**Vol. 106 (1993)**

**Numbers 1081-1084, Pages 1-381**

**Editor-in-Chief**

**Masamitsu WADA :**

Department of Biology, Faculty of Science, Tokyo Metropolitan University, Minami-Ohsawa, Hachioji, Tokyo, 192-03 Japan

**Editors**

**Hiroo FUKUDA :**

Biological Institute, Faculty of Science, Tohoku University, Aramaki, Aoba-ku, Sendai, 980 Japan

**Hiroshi TOBE :**

Department of Natural Environmental Sciences, Faculty of Integrated Human Studies, Kyoto University, Nihonmatsu, Sakyo-ku, Kyoto, 606 Japan

**Tetsukazu YAHARA :**

Department of Biology, College of Arts and Sciences, University of Tokyo, Komaba, Meguro-ku, Tokyo, 153 Japan

**Editorial Board**

**Roni ALONI,** Tel Aviv University

**Jack B FISHER,** Fairchild Tropical Garden

**Ryoko IMAICHI,** Tamagawa University

**Naoki KACHI,** National Institute for Environmental Studies

**Yoshinobu MINEYUKI,** Hiroshima University

**Tetsuko NOGUCHI,** Nara Women's University

**Yoshihiro OZEKI,** University of Tokyo


**Eberhard SCHÄFER,** University of Freiburg

**Mitsuo SUZUKI,** Kanazawa University

**Kunihiko UEDA,** Kanazawa University

**Shin WATANABE,** Toyama University

**The Botanical Society of Japan**



Digitized by the Internet Archive  
in 2023 with funding from  
Kahle/Austin Foundation



# CONTENTS

## Journal of Plant Research

(Formerly : THE BOTANICAL MAGAZINE TOKYO)

Vol. 106

### Number 1081, March 1993

Ohsawa, T., Nishida, H. and Nishida, M. : Structure and Affinities of the Petrified Plants from the Cretaceous of Northern Japan and Saghalien XIII — <i>Yubaristrobus</i> gen. nov., A New Taxodiaceae Cone from the Upper Cretaceous of Hokkaido	1
Sriboonma, D., Hasebe, M., Murakami, N., Murata, J. and Iwatsuki, K. : Phylogeny of <i>Typhonium</i> (Araceae) Inferred from Restriction Fragment Analysis of Chloroplast DNA	11
Oyama, K. : Geographic Differentiation among Populations of <i>Arabidopsis serrata</i> Fr. & Sav. (Brassicaceae)	15
Koshiba, T., Mito, N. and Miyakado, M. : L- and D-Tryptophan Aminotransferases from Maize Coleoptiles	25
Haraguchi, A. : Phenotypic and Phenological Plasticity of an Aquatic Macrophyte <i>Menyanthes trifoliata</i> L.	31
Imaichi, R. and Kato, M. : Comparative Leaf Morphology of Young Sporophytes of Rheophytic <i>Osmunda lancea</i> and Dryland <i>O. japonica</i>	37
Higashi, S., Nakashima, A., Ozaki, H., Abe, M. and Uchiumi, T. : Analysis of Feeding Mechanism in a Pitcher of <i>Nepenthes hybrida</i>	47

#### MINIREVIEW

Tanaka, I. : Development of Male Gametes in Flowering Plants	55
--	----

#### JPR SYMPOSIUM

Shimizu, T. : Organellar DNA Variations in Higher Plants and their Taxonomic Significance	65
Shimizu, T. : Comments on the Present Situation of DNA Systematics in Higher Plants — Appendix	67
Terachi, T. : The Progress of DNA Analyzing Techniques and its Impact on Plant Molecular Systematics	75
Yamada, K., Morita, T., Masuda, K. and Sugai, M. : Chloroplast DNA Variation in the Genus <i>Sesamum</i>	81
Kadowaki, K. : Organization and Post-transcriptional Modification of Mitochondrial Genes in Higher Plants	89

### Number 1082, June 1993

Akiyama, H. and Nishimura, N. : Further Studies on Branch Buds in Mosses ; "Pseudoparaphyllia" and "Scaly Leaves"	101
Naredo, M.E.B., Vaughan, D.A. and Cruz, F.S. : Comparative Spikelet Morphology of <i>Oryza schlechteri</i> Pilger and Related Species of <i>Leersia</i> and <i>Oryza</i> (Poaceae)	109
Yamasaki, S. : Probable Effects of Algal Bloom on the Growth of <i>Phragmites australis</i> (Cav.) Trin. ex Steud.	113
Nemoto, T. and Ohashi, H. : Seedling Morphology of <i>Lespedeza</i> (Leguminosae)	121
Katoh, N. and Iwai, S. : Effect of Plant Growth Substances on the Formation of Carpeloid Structures from Tobacco Ovules	129
Raju, M.V.S. and Marchuk, W.N. : Xylem Changes in the Correlative Inhibition of Lateral Bud Growth in Flax ( <i>Linum usitatissimum</i> L.)	137
Oyama, K., Ito, M., Yahara, T. and Ono, M. : Low Genetic Differentiation among Populations of <i>Arabidopsis serrata</i> (Brassicaceae) along an Altitudinal Gradient	143
Takamiya, M. : Comparative Karyomorphology and Interrelationships of <i>Selaginella</i> in Japan	149
Akhter, S., Morita, T. and Yoshida, Y. : Clonal Diversity in the Agamospermous Polyploids of <i>Taraxacum hondoense</i> in Northern Honshu, Japan	167
Maki, M. : Floral Sex Ratio Variation in Hermaphrodites of Gynodioecious <i>Chionographis japonica</i> var. <i>kurohimensis</i> Ajima et Satomi (Liliaceae)	181
Yoda, K. and Suzuki, M. : Quantitative Analysis of Major Axis Development in <i>Viburnum dilatatum</i> and <i>V. wrightii</i> (Caprifoliaceae)	187



## Number 1083, September 1993

### MINI REVIEWS

- Takeda, H.:** Chemical Composition of Cell Walls as a Taxonomical Marker ..... 195
- Higashi, S.:** (*Brady*) *Rhizobium*-Plant Communications Involved in Infection and Nodulation ..... 201

### ORIGINAL ARTICLES

- Takahashi, H., Nishio, E. and Hayashi, H.:** Pollination Biology of the Saprophytic Species *Petrosavia sakuraii* (Makino) van Steenis in Central Japan ..... 213
- Yanhong, T., Koizumi, H., Washitani, I. and Iwaki, H.:** A Preliminary Study on the Photosynthetic Induction Response of *Quercus serrata* Seedlings ..... 219
- Yoshitama, K., Kawasoe, T. and Ishikura, N.:** Isolation of a New Flavonol Glycoside and its Effects on the Blue Color of Seed Coats of *Ophiopogon jaburan* ..... 223
- Yoneda, T.:** Surface Area of Woody Organs of an Evergreen Broadleaf Forest Tree in Japan and Southeast Asia ..... 229
- Tsujimoto, H.:** Molecular Cytological Evidence for Gradual Telomere Synthesis at the Broken Chromosome Ends in Wheat ..... 239
- Ishikawa, S., Furukawa, A., Okuda, T. and Oikawa, T.:** Germination Requirements in *Carex kobomugi* (Sea Isle) ..... 245
- Omori, Y. and Terabayashi, S.:** Gynoecial Vascular Anatomy and its Systematic Implications in Celtidaceae and Ulmaceae (Urticales) ..... 249
- Noshiro, S. and Suzuki, M.:** Forest Development during 6,300-3,000 yBP (Early to Late Jomon Periods) at the Akayama Site, Central Japan. .... 259

### SHORT COMMUNICATION

- Yahara, T. and Maki, M.:** Effects of Biparental Inbreeding on the Evolution of Gynodioecy: A Model and a Case Study in *Chionographis japonica* var. *kurohimensis*..... 279

## Number 1084, December 1993

### MINI REVIEW

- Nakashima, H.:** Circadian Rhythms in Plants: Strategies for Analysis..... 283

### ORIGINAL ARTICLES

- Yoda, Y. and Suzuki, M.:** Quantitative Description of the Process of Architecture Formation in *Viburnum dilatatum* and *V. wrightii* (Caprifoliaceae) ..... 289
- Matsui, M., Imaichi, R. and Kato, M.:** Ovular Development and Morphology in Some Magnoliaceae Species .... 297
- Murata, T. and Wada, M.:** Cell Division in Caffeine-Induced Binucleate Protonemal Cells of *Adiantum*. I. Asynchronous Mitosis of Two Nuclei in a Single Cell ..... 305
- Murata, T. and Wada, M.:** Cell Division in Caffeine-Induced Binucleate Protonemal Cells of *Adiantum*. II. Formation of the Preprophase Band and Cell Division in Centrifuged and Non-Centrifuged Cells ..... 313
- Izumi, Y., Ono, K., Takamiya, M. and Fukuchi, K.:** Chloroplast Division in Cultured Cells of the Hornwort *Anthoceros punctatus* ..... 319
- Setoguchi, H., Tobe, H., Ohba, H. and Okazaki, M.:** Silicon-accumulating Idioblasts in Leaves of Cecropiaceae (Urticales) ..... 327
- Abe, K. and Suge, H.:** Role of Gravitropic Response in the Dry Matter Production of Rice (*Oryza sativa* L.): An Experiment with a Line Having Lazy Gene ..... 337
- Uchiyama, S., Nagai, S. and Maruyama, K.:** Localization of Fluorescent Substances in the Cellular Slime Mold *Dictyostelium discoideum* Cells during Growth and Development ..... 345
- Tanaka, Y. and Oono, K.:** Total DNA 5-Methylcytosine Level of Rice Calli Derived from Protoplasts is Independent of Regeneration Ability ..... 351

### INVITED ARTICLES

- Takahashi, Y., Ishida, S. and Nagata, T.:** Function and Modulations of Auxin-Regulated Genes ..... 357
- Hoson, T.:** Regulation of Polysaccharide Breakdown during Auxin-Induced Cell Wall Loosening ..... 369

## AUTHOR INDEX

**Journal of Plant Research**  
(Formerly : THE BOTANICAL MAGAZINE TOKYO)

Vol. 106

<b>A</b>		Marchuk, William N.	137	<b>S</b>	
Abe, Kiyomi	337	Maruyama, Keizo	345	Setoguchi, Hiroaki	327
Abe, Mikiko	47	Masuda, Kyojiro	81	Shimizu, Tatemi	65, 67
Akhter, Shamima	167	Matsui, Miho	297	Sriboonma, Duangchai	11
Akiyama, Hiroyuki	101	Mito, Nobuaki	25	Sugai, Michizo	81
		Miyakado, Masakazu	25	Suge, Hiroshi	337
<b>C</b>		Morita, Tatsuyoshi	167	Suzuki, Mitsuo	187, 259, 289
Cruz, Filomena Sta.	109	Morita, Teiichi	81		
		Murakami, Noriaki	11	<b>T</b>	
<b>F</b>		Murata, Jin	11	Takahashi, Hiroshi	213
Fukui, Kiichi	319	Murata, Takashi	305, 313	Takahashi, Yohsuke	357
Furukawa, Akio	245			Takamiya, Masayuki	149, 319
		<b>N</b>		Takeda, Hiroshi	195
<b>H</b>		Nagai, Shin-ichi	345	Tanaka, Ichiro	55
Haraguchi, Akira	31	Nagata, Toshiyuki	357	Tanaka, Yoshimasa	351
Hasebe, Mitsuyasu	11	Nakashima, Akinori	47	Terabayashi, Susumu	249
Hayashi, Hirotaka	213	Nakashima, Hideaki	283	Terachi, Toru	75
Higashi, Shiro	47, 201	Naredo, Ma Elizabeth B.	109	Tobe, Hiroshi	327
Hoson, Takayuki	369	Nemoto, Tomoyuki	121	Tsujimoto, Hisashi	239
		Nishida, Harufumi	1		
<b>I</b>		Nishida, Makoto	1	<b>U</b>	
Imaichi, Ryoko	37, 297	Nishimura, Naoki	101	Uchiumi, Toshiki	47
Ishida, Sarahmi	357	Nishio, Eiji	213	Uchiyama, Saburo	345
Ishikawa, Shin-ichi	245	Noshiro, Shuichi	259		
Ishikura, Nariyuki	223			<b>V</b>	
Ito, Motomi	143	<b>O</b>		Vaughan, Duncan A.	109
Iwai, Sumio	129	Ohashi, Hiroyoshi	121		
Iwaki, Hideo	219	Ohba, Hideaki	327	<b>W</b>	
Iwatsuki, Kunio	11	Ohsawa, Takeshi	1	Wada, Masamitsu	305, 313
Izumi, Yoshihiro	319	Oikawa, Takehisa	245	Washitani, Izumi	219
		Okazaki, Megumi	327		
<b>K</b>		Okuda, Toshinori	245	<b>Y</b>	
Kadowaki, Koh-ichi	89	Omori, Yuji	249	Yahara, Tetsukazu	143, 279
Kato, Masahiro	37, 297	Ono, Kanji	319	Yamada, Kyoji	81
Katoh, Norio	129	Ono, Mikio	143	Yamasaki, Shiori	113
Kawasoe, Tomoyuki	223	Oono, Kiyoharu	351	Yanhong, Tang	219
Koizumi, Hiroshi	219	Oyama, Ken	15, 143	Yoda, Kiyotsugu	187, 289
Koshiba, Tomokazu	25	Ozaki, Hideki	47	Yoneda, Tsuyoshi	229
				Yoshida, Yoshio	167
<b>M</b>		<b>R</b>		Yoshitama, Kunijiro	223
Maki, Masayuki	181, 279	Raju, Manjarabad V.S.	137		



# INDEX OF KEY WORDS

## Journal of Plant Research

(Formerly : THE BOTANICAL MAGAZINE TOKYO)

Vol. 106

- |   |              |                                 |            |                                |          |
|---|--------------|---------------------------------|------------|--------------------------------|----------|
| <b>A</b>  |              | Chloroplast DNA                 | 11, 67, 81 | Gynodioecy                     | 181, 279 |
| Adaptation  | 37           | Chromosome breakage             | 239        | Gynoecium                      | 249      |
| <i>Adiantum</i> (protonema)                               | 313          | Circadian clock                 | 283        | <b>H</b>                       |          |
| <i>Adiantum</i>   | 305          | Circadian rhythm                | 283        | Healing                        | 239      |
| Agamospermy   | 167          | Classification                  | 195        | Higher plants                  | 67, 75   |
| Allozyme diversity  | 143          | Clock gene                      | 283        | Hokkaido                       | 1        |
| Altitudinal gradient                                      | 143          | Clonal diversity                | 167        | Hornwort                       | 319      |
| Anisotropy  | 195          | Co-pigmentation                 | 223        | <b>I</b>                       |          |
| <i>Anthoceros punctatus</i>                               | 319          | Coat-imposed dormancy           | 245        | Idioblast                      | 327      |
| Anthocyanin   | 223          | Coexistence                     | 31         | Inbreeding depression          | 279      |
| Antibody  | 369          | Conifer cone                    | 1          | Indole-3-acetic acid (IAA)     | 25       |
| Apical dominance  | 137          | Cretaceous                      | 149        | Indole-3-pyruvic acid          | 25       |
| <i>Arabis serrata</i>                                     | 15, 143      | Cytotaxonomy                    | 149        | Integument                     | 297      |
| Araceae   | 11           | <b>D</b>                        |            | Isozyme analysis               | 167      |
| Architecture  | 289          | Desmodieae                      | 121        | <b>K</b>                       |          |
| Assimilation  | 219          | Development                     | 297        | Kaempferol glycosides          | 223      |
| Auxin   | 25, 369, 357 | Diameter distribution           | 259        | Kamenoo                        | 337      |
| Axis  | 289          | <i>Dictyostelium discoideum</i> | 345        | Karyomorphology                | 149      |
| 5-Azacytidine   | 351          | DNA content                     | 319        |                                |          |
| <b>B</b>  |              | DNA systematics                 | 67         | <b>L</b>                       |          |
| Bacterial titer   | 47           | <b>E</b>                        |            | Lazy-Kamenoo                   | 337      |
| Basic chromosome number                                   | 149          | Ecotypes                        | 15         | Leaf morphology                | 37       |
| Binucleate cell   | 305          | Environmental condition         | 181        | Leaf surface area              | 229      |
| Biparental inbreeding                                     | 279          | Epidermal surface pattern       | 109        | Lectin                         | 369      |
| Branch development  | 101          | Epidermis                       | 327        | <i>Leersia</i>                 | 109      |
| Branching pattern   | 187          | Evergreen broadleaf forests     | 229        | Leguminosae                    | 121      |
| Brassicaceae  | 15, 143      | <b>F</b>                        |            | <i>Lespedeza</i>               | 121      |
| Bryophyte   | 319          | Feeding mechanism               | 47         | Light                          | 219      |
| Buried forest   | 259          | Flax                            | 137        | <i>Linum</i>                   | 137      |
| <b>C</b>  |              | Floral anatomy                  | 249        | <i>Liriodendron tulipifera</i> | 297      |
| Caffeine  | 305, 313     | Floral sex ratio variation      | 181        | Localization                   | 345      |
| Caprifoliaceae  | 187, 289     | Fluorescence microscopy         | 345        | Lytic enzyme                   | 195      |
| Carpelloid  | 129          | <b>G</b>                        |            | <b>M</b>                       |          |
| Cecropiaceae  | 327          | Gametocidal gene                | 239        | <i>Magnolia</i>                | 297      |
| Cell cycle  | 305          | Gender modification             | 181        | Maize ( <i>Zea mays</i> )      | 25       |
| Cell differentiation                                      | 345          | Gene flow                       | 143        | Maternal inheritance           | 55       |
| Cell division   | 313, 357     | Gene organization               | 89         | Maximum tree height            | 229      |
| Cell wall loosening                                       | 369          | Gene transfer                   | 89         | <i>Menyanthes trifoliata</i>   | 31       |
| Cell wall sugar composition                               | 195          | Generative cell                 | 55         | 5-Methylcytosine               | 351      |
| Cellular slime mold                                       | 345          | Genetic differentiation         | 143        | <i>Microcystis aeruginosa</i>  | 113      |
| Celtidaceae   | 249          | Geographic variation            | 15         | Microsite                      | 219      |
| Central Japan   | 259          | (1→3), (1→4)- $\beta$ -Glucan   | 369        | Microtubule                    | 55, 313  |
| Chemotaxonomy   | 195          | Gravitropism                    | 337        | Middle-holocene                | 259      |
| <i>Chionographis japonica</i> var.<br><i>kurohimensis</i> | 181          | Growth rate                     | 229        | Mitochondrial mutants          | 89       |
| <i>Chlorella</i>  | 195          |                                 |            |                                |          |
| Chloroplast division                                      | 319          |                                 |            |                                |          |

Mitochondrion	89	Poaceae	109	Stigma-like	129
Mitosis	305	Pollen development	55	Style-like	129
Mizorogaike Pond	31	Pollination	213	Sunfleck	219
Moist-chilling	245	Polyploid-complex	167	Surface area of woody organs	229
Molecular phylogeny	11	Population differentiation	15	Surplus production	229
Molecular systematics	75	Preprophase band	313		
Morphological variation	15	Productive structure	337	<b>T</b>	
Morphology	101, 121	Proteases	47	<i>Taraxacum hondoense</i>	167
Mosses	101	Protolone	351	Taxodiaceae	1
Mt. Fuji	143	Protogyny	213	Telomere repetitive sequence	239
<b>N</b>		Protonema (fern)	305	Tobacco suspension cultured cell	
<i>Nepenthes</i>	47	Protoplast	357	(BY-2)	357
<i>Nicotiana tabacum</i>	129	Pseudoparaphyllia	101	Transcript modification	89
Nucleus	313	Pteridophyte	149	Tree architecture	187
				<i>Triticum aestivum</i>	239
<b>O</b>		<b>R</b>		D-Tryptophan aminotransferase	25
Ontogeny	37	Redox potential	113	L-Tryptophan aminotransferase	25
<i>Ophiopogon jaburan</i>	223	Restriction fragment pattern	81	<i>Typhonium</i>	11
Organogenesis	129	RFLP	11	<b>U</b>	
<i>Oryza</i>	109	RFLP analysis	81	Ulmaceae	249
<i>Oryza sativa</i> L.	337	RFLPs	75	Unequal cell division	55
<i>Oryza schlechteri</i>	109	Rheophyte	37	Urticales	249, 327
Oscillator	283	Rice callus	351		
<i>Osmunda lancea</i>	37	Rigid wall	195	<b>V</b>	
Ovule	129, 297	Ruthenium red	195	Vascular anatomy	249
Oxygen concentration	113			<i>Viburnum</i>	187, 289
<b>P</b>		<b>S</b>		<b>W</b>	
PCR	75	Saprophyte	213	Withering	113
Petrified cone	1	Scaly leaves	101	Wood peat	259
<i>Petrosavia sakuraii</i>	213	Seed dormancy	245		
Phenological escape	31	Seed-coat impermeability	245	<b>X</b>	
Phenotypic plasticity	31	Seedling	121	Xylem changes	137
Photosynthetic induction	219	<i>Selaginella</i>	149	Xyloglucan	369
<i>Phragmites australis</i>	31	Self-pollination	213		
Phylogenetic relationship	81	Selfing	279	<b>Y</b>	
Physical map	81	<i>Sesamum</i> (sesame)	81	Young sporophytes	37
Pitcher juice	47	Shrub	187	<i>Yubaristrobus</i>	1
Plant geography	67	Silicon accumulation	327		
Plant regeneration	351	SLA	337		
		Spatial distribution	259		
		Sperm cell	55		



## Acknowledgement

The Editorial Board is grateful to the reviewers listed below for their cooperation in reviewing manuscripts to the Journal of Plant Research, Vol. 106, 1993.

Bouman, Ferry  
Endo, Takashi  
Esashi, Yohji  
Fukuda, Yasuji  
Fukuhara, Tatsundo  
Hamrick, James M.  
Hardham, Adrienne R.  
Hasezawa, Seiichiro  
Hashimoto, Takashi  
Haufler, Christfer  
Holsinger, Kent  
Hori, Terumitsu  
Hoson, Takayuki  
Ikeuchi, Masahiko  
Imai, Hirotami  
Inoue, Ken  
Inoue, Yasunori  
Ito, Motomi  
Iwasa, Yoh  
Kachi, Naoki  
Kadota, Akeo  
Kato, Masahiro  
Kawano, Shigeyuki

Kikuzawa, Kihachiro  
Klein, Roger  
Kobayashi, Hirokazu  
Kohyama, Takashi  
Kondo, Katsuhiko  
Koshiba, Tomokazu  
Kuwabara, Tomohiko  
Maruta, Emiko  
Matsuda, Michiko  
Matsuura, Katsumi  
Mizuta, Shun  
Motomura, Taizo  
Murakami, Noriaki  
Murata, Jin  
Nagamasu, Hidetoshi  
Naito, Toshihiko  
Nakashizuka, Tohru  
Nishida, Harufumi  
Nomura, Koji  
Oginuma, Kazuo  
Ohara, Masashi  
Okada, Hiroshi  
Okagami, Nobuo

Okamoto, Koji  
Okamoto, Motoharu  
Pickett-Heaps, Jeremy D.  
Sakuta, Masaaki  
Sato, Fumihiko  
Sonobe, Seiji  
Stockey, Ruth A.  
Sugiyama, Munetaka  
Suzuki, Eiji  
Suzuki, Takeshi  
Syono, Kunihiko  
Takabe, Teruhiko  
Takahashi, Masamichi  
Takahashi, Yasuhiro  
Takaso, Tokushiro  
Takenaka, Akio  
Ueda, Kunihiko  
Washitani, Izumi  
Watano, Yasuyuki  
Wheeler, Elisabeth A.  
Yamaguchi, Junji  
Yokoi, Yōta



# **INTERNATIONAL JOURNAL OF PLANT SCIENCES**

Editors: Edward D. Garber and Manfred Ruddat

*International Journal of Plant Sciences (IJPS)* presents the results of original investigations in all areas of the plant sciences. Founded as the *Botanical Gazette* in 1875, the journal has become a major outlet for the publication of plant science research. *IJPS* builds upon *Botanical Gazette's* tradition as an internationally read and respected plant sciences journal. *IJPS* maintains high-quality production standards and offers timely information through prompt peer review and a short publication schedule.

*IJPS* offers the proceedings of The Katherine Esau International Symposium in a special issue in Volume 153 (September 1992). This 200-page peer-reviewed and separately indexed special issue includes articles which contain important theoretical and experimental insights into structural, developmental, organismal, and evolutionary plant sciences. Single copies of The Katherine Esau International Symposium Issue -Vol. 153, No. 3, pt. 2 (September 1992)—are available for course and seminar offerings for only \$9.85 (Individuals) and \$24.15 (Institutions).

Published quarterly (bimonthly beginning January 1994 with Volume 155)

Regular one-year subscription rates: Institutions \$145.00; Individuals \$59.00; Indiv. Society Members\* \$39.00; Students (attach copy of valid ID) \$39.00. Outside USA, please add \$9.00 for postage. Canadians, please add postage and 7% GST. Visa and MasterCard accepted. To order, send check, purchase order, or complete credit card information (acct. #, exp. date, signature, telephone number) to The University of Chicago Press, Journals Division, Dept. SF4SA, P.O. Box 37005, Chicago, IL 60637.

\*Includes: *Botanical Society of America*, *American Society of Plant Physiologists*, *Canadian Botanical Association*, *Botanical Society of Japan*, *Intl. Assoc. for Plant Physiology*, and other botanical associations or societies.





# THE JAPANESE SOCIETY OF PLANT PHYSIOLOGISTS

*PLANT AND CELL PHYSIOLOGY* (1 volume: 8 issues per year) is an international journal devoted to the publication of original papers of quality in the biological sciences that include physiology, biochemistry, biophysics, chemistry, molecular biology, cell biology, and gene engineering of plants and microorganisms.

Members of the Japanese Society of Plant Physiologists are entitled to receive *PLANT AND CELL PHYSIOLOGY* and to submit papers to the journal. Publication time ranges from 2 to 4 months after acceptance of a manuscript.

Prospective contributors to *PLANT AND CELL PHYSIOLOGY* please note the following features:

**Two hundred free reprints**

**No page charge**

**No manuscript handling charge**

**No page limit (Rapid Report and Short Communication excepted)**

**Worldwide distribution to more than 60 countries**

**No charge for plates (color plates excepted)**

**Proof of electron microscopic plates in three tones**

We invite you to join our Society and to contribute to *PLANT AND CELL PHYSIOLOGY*. The annual membership fee of US\$50 for individuals includes a subscription to *PLANT AND CELL PHYSIOLOGY*. Subscriptions from institutions also are welcome at the annual fee of US\$180. We also provide special membership for students at the reduced annual fee of US\$25. (A signed statement from your advisor or professor, affirming that you are a full-time student, is required).

To apply, please fill in the following form and mail it to:

**The Japanese Society of Plant Physiologists,  
Shimotachiuri Ogawa-Higashi, Kamikyo-ku, Kyoto, 602 Japan**



## APPLICATION FORM FOR MEMBERSHIP AND INSTITUTIONAL SUBSCRIPTIONS

*Please type or print in block capitals*

Name: \_\_\_\_\_ Title/Position \_\_\_\_\_

Institution: \_\_\_\_\_

Address: \_\_\_\_\_

Country ( \_\_\_\_\_ )

Telephone number ( \_\_\_\_\_ ) Fax number ( \_\_\_\_\_ )

*To qualify for student membership, the following statement must be completed by student's faculty advisor, on official school stationary.*

I affirm that the person named above is a full-time student at \_\_\_\_\_.

ADVISOR'S SIGNATURE

DATE

TITLE

*Please check*

☐ Individual membership (US\$50.00) ☐ Institutional subscription (US\$180.00)

☐ Student membership (US\$25.00)

☐ A bill is required (a separate application form will be sent with the bill)

☐ International postal money order: ☐ enclosed ☐ sent separately

☐ International Giro postal transfer (Postal account No.: Kyoto 3-31696/JSPP)

☐ Personal check or bank money order enclosed (add **\$13.00** for bank handling charge)

☐ Credit card: ☐ VISA ☐ Master ☐ American Express

CARD NUMBER

EXPIRATION DATE

SIGNATURE (REQUIRED)

☐ Air mail delivery of the Journal (add **\$63** for Asia, Australia, New Zealand; **\$75** for North and Central America; **\$88** for Europe, Africa, South America, the Middle East, the former Soviet Union)



# Tree Physiology

HAS AUTHORS IN:

*America, Australia, Austria, Belgium, Brazil, Canada, Chile, China, Czechoslovakia, Denmark, England, Estonia, Finland, France, Germany, Holland, India, Indonesia, Iraq, Ireland, Israel, Italy, Japan, Mali, Mexico, Nepal, New Zealand, Nigeria, Norway, Poland, Portugal, Republic of South Africa, Russia, Scotland, Spain, Sweden, Switzerland, Wales, Zimbabwe*

If ***Tree Physiology*** is not in your library, you are missing some of the most important research on the largest component of the biosphere

**HERON PUBLISHING**

Box 5579, Station B, Victoria, B.C. V8R 6S4,  
Canada. Phone: 604 721 9921 • Fax: 604 721 9924

# Journal of Plant Research

(Formerly THE BOTANICAL MAGAZINE, TOKYO)

Published by  
**The Botanical Society of Japan**

Toshin Building, Hongo 2-27-2, Bunkyo-ku  
Tokyo 113, Japan

The **Journal of Plant Research** is a new format version of The Botanical Magazine, Tokyo, which has enjoyed an international reputation for over a century. The **Journal of Plant Research** is issued quarterly, one volume a year. It is open to studies of all aspects of plant sciences; from plant population to plant molecular biology. Members of the Society (regular and student) will receive each issue, and can publish their accepted papers, free-of-charge. Non-members are requested to pay page charges for publication. Those who wish to join the Society and subscribe to the **Journal of Plant Research** should complete the Application Form below and return it to the Society together with the membership (or subscription) fee. Banker's fee and commission should be paid immediately by the applicant.

----- cut ----- cut -----

## Application Form for the Botanical Society of Japan

(Please write in block letters)

Date: \_\_\_\_\_ Signature: \_\_\_\_\_

Surname \_\_\_\_\_ Other name \_\_\_\_\_

Full Postal Address: \_\_\_\_\_

\_\_\_\_\_

Telephone number: \_\_\_\_\_ Fax number: \_\_\_\_\_

Please check

☐ Membership,    ☐ Regular ¥9,000,    ☐ Student ¥4,500

☐ Subscription for institution ¥18,000

\_\_\_\_\_  
SUPERVISOR'S SIGNATURE

☐ International postal money order    ☐ enclosed    ☐ sent separately

☐ International Giro postal transfer (postal account no.: Tokyo 7-11190)

☐ Bank draft enclosed

☐ Credit card:    ☐ VISA    ☐ MasterCard    ☐ American Express

\_\_\_\_\_  
CARD NUMBER

\_\_\_\_\_  
EXPIRATION DATE

\_\_\_\_\_  
SIGNATURE